

AMENDMENTS TO THE CLAIMS

Please amend claims 1, 2, 5, 12-19, 21-23, 26-28, and 34-37. This listing of claims replaces all prior versions and listing of claims in the application.

1. (Currently Amended) A method of cleaning carpets comprising the steps of:
 - a. applying a foaming aerosol carpet cleaning composition to ~~the~~ a carpet,
 - b. wiping the carpet with a cleaning implement comprising a disposable cleaning substrate, and
 - c. allowing the carpet to dry.
2. (Currently Amended) The method of claim 1, wherein said ~~aerosol carpet cleaning~~ composition comprises an anionic surfactant and a solvent.
3. (Original) The method of claim 2, wherein the ratio of anionic surfactant to solvent is less than 0.2.
4. (Original) The method of claim 3, wherein the ratio of anionic surfactant to solvent is less than 0.1.
5. (Currently Amended) The method of claim 2, wherein said ~~aerosol carpet cleaning~~ composition comprises greater than 0.1% anionic surfactant ~~and a solvent~~.
6. (Original) The method of claim 5, wherein the ratio of anionic surfactant to solvent is less than 0.2.
7. (Original) The method of claim 6, wherein the ratio of anionic surfactant to solvent is less than 0.1.

8. (Original) The method of claim 1, wherein said cleaning implement comprises a handle, a cleaning head, and an attachment structure for an aerosol canister.
9. (Original) The method of claim 1, wherein said disposable cleaning substrate comprises a nonwoven material.
10. (Original) The method of claim 1, wherein said disposable cleaning substrate has an absorbency of greater than 5g/g.
11. (Original) The method of claim 10, wherein said disposable cleaning substrate has an absorbency of greater than 10g/g.
12. (Currently Amended) The method of claim 1, wherein ~~the foam from said aerosol carpet cleaning~~ of said composition breaks on the carpet in greater than 10 seconds and less than 500 seconds.
13. (Currently Amended) The method of claim 1, wherein said ~~aerosol carpet cleaning~~ composition penetrates less than 0.50 inches of a nylon carpet with fiber length 0.50 inches ~~less than 0.50 inches~~ under spray only conditions.
14. (Currently Amended) The method of claim 13, wherein said ~~aerosol carpet cleaning~~ composition penetrates less than 0.40 inches of a nylon carpet with fiber length 0.50 inches ~~less than 0.40 inches~~ under spray only conditions.
15. (Currently Amended) The method of claim 13, wherein said ~~aerosol carpet cleaning~~ composition penetrates less than 0.30 inches of a nylon carpet with fiber length 0.50 inches ~~less than 0.30 inches~~ under spray only conditions.

16. (Currently Amended) A foaming aerosol carpet cleaning composition, comprising a surfactant and a solvent, wherein said composition penetrates less than 0.50 inches of a nylon carpet with fiber length 0.50 inches ~~less than 0.50 inches~~ under spray only conditions.
17. (Currently Amended) The composition of claim 16, wherein ~~the foam from~~ of said composition breaks on the carpet in greater than 10 seconds and less than 500 seconds.
18. (Currently Amended) The composition of claim 16, wherein said ~~aerosol-carpet cleaning~~ composition comprises an anionic surfactant and a solvent.
19. (Original) The composition of claim 18, wherein the ratio of anionic surfactant to ~~solvent~~ solvent is less than 0.2.
20. (Original) The composition of claim 19, wherein the ratio of anionic surfactant to solvent is less than 0.1.
21. (Currently Amended) The composition of claim 16, wherein said composition penetrates less than 0.40 inches of a nylon carpet with fiber length 0.50 inches ~~less than 0.40 inches~~ under spray only conditions.
22. (Currently Amended) The composition of claim 21, wherein ~~the foam from~~ said composition breaks on the carpet in greater than 10 seconds and less than 500 seconds.
23. (Currently Amended) The composition of claim 21, wherein said ~~aerosol-carpet cleaning-composition-surfactant~~ comprises an anionic surfactant ~~and a solvent~~.

24. (Original) The composition of claim 23, wherein the ratio of anionic surfactant to solvent is less than 0.2.
25. (Original) The composition of claim 24, wherein the ratio of anionic surfactant to solvent is less than 0.1.
26. (Currently Amended) The composition of claim 16, wherein said composition penetrates less than 0.30 inches of a nylon carpet with fiber length 0.50 inches ~~less than 0.30 inches~~ under spray only conditions.
27. (Currently Amended) The composition of claim 26, wherein ~~the foam from~~ of said composition breaks on the carpet in greater than 10 seconds and less than 500 seconds.
28. (Currently Amended) The composition of claim 26, wherein said ~~aerosol carpet cleaning composition~~ surfactant comprises an anionic surfactant ~~and a solvent~~.
29. (Original) The composition of claim 28, wherein the ratio of anionic surfactant to solvent is less than 0.2.
30. (Original) The composition of claim 29, wherein the ratio of anionic surfactant to solvent is less than 0.1.
31. (Original) The composition of claim 16, wherein said composition has a foam density of greater than 3 g/100cc.
32. (Original) The composition of claim 31, wherein said composition has a foam density of greater than 4 g/100cc.

33. (Original) The composition of claim 32, wherein said composition has a foam density of greater than 5 g/100cc.
34. (Currently Amended) An article of manufacture comprising:
- a. a cleaning implement;
 - b. a disposable cleaning pad substrate;
 - c. an foaming aerosol cleaning composition; and
 - d. a set of instructions comprising the steps of:
 - i. applying an foaming aerosol ~~carpet~~ cleaning composition to ~~the~~ a carpet,
 - ii. wiping the carpet with a cleaning implement comprising a disposable cleaning substrate, and
 - iii. allowing the carpet to dry.
35. (Currently Amended) The article of manufacture of claim 34, wherein ~~the~~ foam ~~from~~ of said foaming aerosol cleaning composition breaks on the carpet in greater than 10 seconds and less than 500 seconds.
36. (Currently Amended) The article of manufacture of claim 35, wherein said foaming aerosol cleaning composition penetrates less than 0.50 inches of a nylon carpet with fiber length 0.50 inches ~~less than 0.50 inches~~ under spray only conditions.
37. (Currently Amended) The article of manufacture of claim 34, wherein said foaming aerosol cleaning composition comprises an anionic surfactant and a solvent.
38. (Original) The article of manufacture of claim 37, wherein the ratio of anionic surfactant to solvent is less than 0.2.
39. (Original) The article of manufacture of claim 38, wherein the ratio of anionic surfactant to solvent is less than 0.1.